



██████
QK607

.C6

v.2







ILLUSTRATIONS
OF
BRITISH FUNGI.



ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists Society; the Essex Field Club; and other Societies.

VOL. II.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1881-1883.

QK607

.C6

v. 2

Small portions of a large cluster.



M.C.C.

AGARICUS (CLITOCYBE.) AGGREGATUS. Schaff.
on sawdust. Coed Coch. July 1882.



AGARICUS (CLITOCYBE) ELIXUS. *New*
On the ground. Bagley Wood, Oxford, 1865



AGARICUS (CLITOCYBE) FUMOSUS. Fries.
in woods.





AGARICUS (CLITOCYBE) TUMULOSUS. Kihlstr.
in woods. near Hereford.
Sept. 1871.


opaque.




M.C.C.

AGARICUS (*CLITOCYBE*) OPACUS. *With.*
in woods. rare.





AGARICUS (*CLITOCYBE*.) GIGANTEUS. Sow.
in woods. Colwyn 1880.



Stem 6-8 inches long.

$\frac{2}{3}$

McC.

odour strong.

AGARICUS (CLITOCYBE.) MAXIMUS. Fries.
in woods. Killarney. Oct. 1881.



AGARICUS (*CLITOCYBE*.) INFUNDIBULIFORMIS. Schæff.
in woods. Aug. & Sept.

strong mealy odour

W.P.



AGARICUS (CLITOCYBE) INCILIS Fries.

In woods. Kings Lynn, Nov. 1881.

M.C.C.



AGARICUS (CLITOCYBE) PARILIS Fries.

By the side of plantations, Somerset.





M.C.C.

AGARICUS (*CLITOCYBE*.) *GEOTROPUS*. Bull
in woods.



W.G.S.

AGARICUS (*CLITOLYBE*) *GEOTROPUS* Bull.
var. SUBINVOLUTUS. Smith.
amongst grass by road-sides.






AGARICUS (POLITOCYBE) SUB-INVOLUTUS (Pers.)
in *Fr. Syst. Mycol.* — *Rehder, Icones*





AGARICUS (CLITOCYBE) GILVUS. Pers.
in mountain woods.





AGARICUS (CLITOCYBE.) SPLENDENS. Fries.
amongst dead leaves. Neasden Sept. 1881.





M.C.C.

AGARICUS (CLITOCYBE) FLACCIDUS, *Sacc.*
amongst leaves. Kew 1850.





M.C.C.

usually caespitose


AGARICUS (*CLITOCYBE*) FLACCIDUS. Fries.
Amongst leaves, Duedor 1881.





AGARICUS (CLITOCYBE) LOBATUS. *Sow.*
on a bank. Highgate Jan. 8. 1863






AGARICUS (CLITOCYBE.) SENILIS. Fries. (variety)
 on lawn. Coed Coch 1880.





AGARICUS (CLITOCYBE.) CATINUS. Fries.
amongst dead leaves. near Ludlow 1881.

shaggy white



farinaceus

AGARICUS (CLITOCYBE.) TUBA. Fries.
on dead leaves &c Kew Gardens 1881.





M.C.C.

Shining, dry.

AGARICUS (COLLYBIA) ERICETORUM. Bull.
amongst short grass. · Loughton. Nov. 1881.





AGARICUS (CLITOCYBE.) CYATHIFORMIS. Fr.
in woods. near Hereford. October 1881.





R.E.B.

AGARICUS (CLITOCYBE.) EXPALLENS Pers.
in mixed woods. Glamis.




AGARICUS (ICUTUS) YBE) SUBBATUS. Fries.
in Fung. Scand. — *Ascol.*

Hygrophanous.



M.C.C.

AGARICUS (*CLITOCYBE*.) PRUINOSUS Fries.
on rotten wood, and on the ground. Kew. Non. Dec. 1852.






H.G.B


M.C.C

inodorous

AGARICUS (CLITOCYBE.) BRUMALIS. Fries.
 in fir woods. Dinedor 1871. Black Park 1881.



AGARICUS (CLITOCYBE.) METACHROUS. *Fries.*
amongst pine leaves. Black Park 1881.



M.C.C.

strong mealy odour

AGARICUS (CLITOCYBE.) DITOPUS. Fries.
amongst dead leaves. Moccas Park 1881.







M.C.C.

Inodorous


AGARICUS (CLITOCYBE) DIATRETUS Fries.
in pine woods. Cood Coch.



AGARICUS (*CLITOCYBE*) FRAGRANS. *Sow.*
Amongst moss. Dumore. Oct. 1880.



AGARICUS (*CLITOCYBE*) *ANGUSTISSIMUS*, Lusch.
Amongst leaves. Coed Coch Oct. 1880.



Hygrophanous

Watford

Kew Gardens


Chingford

M.C.C.

faintly fragrant

AGARICUS (CLITOCYBE.) OBSOLETUS. *Batsch.*
amongst grass and leaves. *Oct. Nov. 1882.*







AGARICUS (*CLITOCYBE*) *ECTYPUS*. Fries.
In dorp. pilos. Kuhn ex. Des. 1821





M.F.B.

foetid.

AGARICUS (CLITOCYBE) BELLUS. Fris.
in fir woods.



AGARICUS (*CLITOCYBE*.) LACCATUS. Scop.
 in woods &c. Common everywhere.



J.S.

Acrid and bitter


AGARICUS (*CLITOCYBE*) SADLERI. Berk.
in store. Botanic Gardens, Edinburgh.





AGARICUS (COLLYBIA.) RADICATUS. *Retz.*
on the ground. July to September.

Pileus and stem velvety.




M.C.C.

AGARICUS (COLLYBIA.) LONGIPES. Bull.
in woods. Leigh Wood, Bristol.



AGARICUS (COLLYBIA) PLATYPHYLLUS. *Frus.*
On the ground, amongst hairs &c. Ketc.






M.C.C.

AGARICUS (*COLLYBIA*) SEMITALIS *Fries*

By waysides after much rain. Oct. 1882.






M.C.C.

Esulent.

AGARICUS (COLLYBIA.) FUSIPES. Bull.
on stumps. Highgate.





AGARICUS (COLLYBIA.) MACULATUS. A. & S.
in moist pine woods, &c.





M.C.C.

gills eroded, immaculate

AGARICUS (COLLYBIA.) MACULATUS A. & S. var. IMMACULATUS
on the ground. Black Park, Langley 1879.



Odour strong.




W.G.S.

AGARICUS (COLLYBIA) DISTORTUS *Fries.*
on Trunks. Coed Coch. 1871.





AGARICUS (COLLYBIA) BUTYRACEUS. Bull.
in woods. Common.



gregarius



M.C.C.

AGARICUS (COLLYBIA.) XYLOPHILUS. Fries.
about old stumps. Black Park, Langley Sept. 1882.




B



A.-AGARICUS (COLLYBIA.) VELUTIPES. Curt.
on trunks. Common.

B.-AGARICUS (COLLYBIA.) LAXIPES. Fries.





x700.

x400.



W.G.S

AGARICUS (COLLYBIA) MIMICUS. Smith.
On shavings. (Somerset) Nov 1872.



M. J. B.


H. G. B.

AGARICUS (COLLYBIA.) VERTIRUGIS. Cooke.
on Fern roots.



M. J. B.

AGARICUS (COLLYBIA.) STIPITARIUS. Fries.
on stems and roots of grass.





AGARICUS (*COLLYBIA*) HARIOLORUM. Bull.
amongst dead leaves.



M. J. B.

AGARICUS (*COLLYBIA*) CONFLUENS. Pers.
in woods.

odour unpleasant



W.G.S.

AGARICUS (COLLYBIA) INGRATUS Schum.
In pine woods. Largo, Fifeshire. 1872.



M. J. B.



H. G. B.

AGARICUS (COLLYBIA) CON. GENUS. Pers.
on fir cones. October.


A.



H.G.B.

AGARICUS (COLLYBIA.) TUBEROSUS. Bull.
on decayed Russula.

B.




H.G.B.

AGARICUS (COLLYBIA.) CIRRHATUS. Schum.
on the ground. Belmont, Nov. 1872.




R.E.B.

AGARICUS (COLLYBIA.) COLLINUS. Scop.
on grassy slopes.




A.—*AGARICUS (COLLYBIA) VENTRICOSUS*. Bull.
in woods. Coed Coch 1875.

B.—*AGARICUS (COLLYBIA) STEVENSONI*. B. & Br.
on the ground. Glams. Aug. 1874.



slightly viscid.


AGARICUS (COLLYBIA) PSATHYROIDES. Cke.
on the ground. Epping Forest, Oct., 1880.





M.C.C.

AGARICUS (POLYSII) XANTHOPUS. *Frie.*
growing on dead leaves. Oct. 1885.



AGARICUS (COLLYBIA) NITELLINUS. *Fries.*
variety— with crowded gills.

Beside the road in a wood. Neatishcad. 1881.




AGARICUS (COLLYBIA.) SUCCINEUS. *Fries.*
in grassy places. Dinedor. Dec. 1872.

H.G.B.




M.C.C.

AGARICUS (COLLYBIA.) NUMMULARIUS. *Lam.*
amongst leaves, twigs &c.





AGARICUS (COLLYBIA) ESCULENTUS. *Wulf.*
in pine woods. *Spring.*




M. & B.

AGARICUS (COLLYBIA) TENACELLUS *Pers.*
var. *STOLONIFER*
in woods. *Autumn.*



R.E.B.

AGARICUS (COLLYBIA) ACERVATUS Fries.
on stumps. Sept. 1852.



M.C.C.


AGARICUS (COLLYBIA.) DRYOPHILUS Fr.
in grassy places. Kew Gardens 1862.



Hygrophanous


M.C.C.

AGARICUS (COLLYRIA.) AQUOSUS. Bull.
amongst moss. Pleasure grounds, Kew.






AGARICUS (*COLLYBIA*) EXSCULPTUS *Fries.*
on trunks and on the ground. June.



M.C.C

AGARICUS (*COLLYBIA*) MACILENTUS *Fries*
in pine woods. Corstorphane. N.B.




M. J. B.

AGARICUS (COLLYBIA.) CLAVUS. Linn.
on twigs, leaves &c.



AGARICUS (COLLYBIA.) OCELLATUS. Fries.
in grassy places.



4

M. C. C.

AGARICUS (COLLYBIA.) MUSCIGENUS. Schum.
on ground, amongst moss and grass. Kew. Aug. 1881.



M.C.C.

strong scented.


AGARICUS (COLLYBIA.) RANCIDUS. Fries.
in woods, about trunks; near Hereford.



strong scented.

AGARICUS (COLLYBIA.) CORACINUS. Fries
in grassy places, in woods.





odour faint.

AGARICUS (COLLYBIA) INOLENS. Fries.
in pine woods.



H.G.B.

inodorous.

AGARICUS (COLLYBIA) PLEXIPES Fries.
in beech woods. Dinmore. Sept. 1874.






AGARICUS (COLLYBIA.) ATRATUS. Fries.
on charred ground. Dinmore. Nov. 1870.



M.C.C.

rancid.

AGARICUS (COLLYBIA.) AMBUSTUS. Fries.
on scorched pla., 4 or 2 grains. 1851.





M.C.C.

AGARICUS (HYMENOCERATUS) LACERATUS L. var. *albipes* (Fr.) Berk. & Rav.





AGARICUS (COLLYBIA) PROTRACTUS. Fries.
amongst dead leaves. Kew Gardens.



M.C.C


AGARICUS (COLLYBIA) TESQUORUM. Fries.
on sunny bank. Ascot.




AGARICUS (COLLYBIA) TYLICOLOR Fries.
in shady woods, amongst grass



M.C.C






1.—AGARICUS (*MYCENA*.) PELIANTHINUS. *Eries*,
in beech and oak woods.


2.—AGARICUS (*MYCENA*.) BALANINUS. *Berk*
amongst beech mast. *Herford* 1870.






AGARICUS (*MYCENA*) ELEGANS Pers.

in fir woods.



AGARICUS (*MYCENA*) RUBRO-MARGINATUS Fries.

on rotten trunks &c.




A




AGARICUS (MYCENA.) STROBILINUS. Fries.

B




var COCCINEUS. Sow.

C



H.G.B.

AGARICUS (MYCENA.) ROSELLUS. Fries.
in pine woods. Dondor 1872.





M.C.C.

AGARICUS (*MYCENA*) PURUS. Pers.
Common in woods.






AGARICUS (*MYCENA*.) PSEUDOPURUS. Cooke.
amongst grass in woods. Coed Coch 1880.



M.C.C.

AGARICUS (*MYCENA*.) ZEPHIRUS. Fries.
amongst pine leaves.





AGARICUS (MYCENA.) ADONIS Bull.
amongst grass and moss.



M.C.C.

AGARICUS (MYCENA.) LINEATUS Bull.
amongst dead leaves &c.





X 2

M. J. B.

AGARICUS (MYCENA.) LUTEO-ALBUS, *Bolt.*
amongst mosses.



X 2

Lamelle distant.

H. G. B.

AGARICUS (MYCENA.) FLAVO-ALBUS, *Fr.*
under Scotch firs.




X 2

Lamelle crowded.

M. J. B.

AGARICUS (MYCENA.) LACTEUS, *Pers.*
in fir woods.





AGARICUS (MYCENA) PICOLOPES, L. s.
— in rotten wood. S. 1801.





R.E.B.

AGARICUS (MYCEPHA.) EXCISUS. Lasc̄.
on trunks or on the ground.



AGARICUS (*MYCENA*.) PSAMMICOLA B. & Br.
sandy banks amongst moss.



AGARICUS (*MYCENA*.) RUGOSUS Fries
on trunks & stumps

pileus viscid




M.C.C.

AGARICUS (MYCENA.) SUDORUS. Fries.
on old stumps. Haywood Forest. Oct. 1882.



AGARICUS (MYCENA) GALERICULATUS. Fries. B. Terrestrial Variety
on stumps and on the ground. Common.



AGARICUS GALERICULATUS Fr.
 var. CALOPUS. Fr.
 on stumps. Hayward Forest. Oct. 1832.

M.C.C.

AGARICUS (MYCENA) POLYGRAMMUS. Bull.
 on stumps. Epping.



AGARICUS (*MYCENA*) PARABOLICUS. *Fries.*
on stumps. Edinburgh.



M.C.C.

viscid

AGARICUS (*MYCENA*) TINTINABULUM *Fries.*
on Beech trunks & stumps. Epping Forest.

Strong scented



AGARICUS (MYCENA) DISSILIENS *Fries.*
on the ground and on stumps. Kew Gardens.



M.C.C.

AGARICUS (MYCENA) PLICOSUS *Fries.*
on the ground. Killin N.B.

sweet scented



M. J. B.

AGARICUS (MYCENA) PAUPERCULUS. Berk.
on fallen branches.



M. C. C.

R. E. B.

AGARICUS (MYCENA.) ATRO-CYANEUS. Batsch.
amongst fir leaves. Glamis N.B.



M.C.C.

AGARICUS (MYTILIA) PULENTUS. Bark 6" Oak.
 on the Ground. Connecticut. Oct. 1882.

odour nitrous



AGARICUS (MYCENA.) LEPTOCEPHALUS Pers.
on trunks.




H.G.B.

strong scented.

AGARICUS (MYCENA.) ALCALINUS Fries.
on stumps. Hereford 1863.

odor strong



M.C.C.



M.J.B.

AGARICUS (MYCENA.) ALCALINUS. Fries.
on stumps. Hayward Forest, and King's Cliffe.

strong scented

R.E.B



AGARICUS (MYCENA) AMMONIACUS. Fries.
on the ground.



R.E.B

strong scented

M.C.C.

AGARICUS (MYCENA.) METATUS. Fries.
on the ground. Chingford, Essex.



M.C.C.

AGARICUS (*MYCENA*.) *ÆTITES* Fries.
amongst moss and grass.



AGARICUS (*MYCENA*.) *STANNEUS* Fries.
amongst grass.



AGARICUS (*MYCENA*) VITREUS. *Fries.*
in moist fir woods.



H.G.B.

AGARICUS (*MYCENA*) TENUIS. *Bolton.*
in moist shady places, Sept. 1863.



AGARICUS (*MYCENA*) *FILOPES*. *Bull.*
amongst dead leaves.



M. J. B.

AGARICUS (*MYCENA*) *IRIS*. *Berk.*
on pine chips.




M.C.C.

AGARICUS (MYCENA) AMICTUS Fries.
 Amongst moss &c. Chingford Essex.



AGARICUS (*MYCENA*.) *DEBILIS* Fr.
amongst moss.

AGARICUS (*MYCENA*.) *VITILIS* Fr.
amongst leaves.



AGARICUS (*MYCENA*.) *COLLARIATUS* Fries.
amongst grass in woods.



AGARICUS (MYCENA.) SPEIREUS Fries.
on mossy trunks. Glamis.



AGARICUS (MYCENA.) TENELLUS Fries.
on old trunks. Caen Wood.




AGARICUS (MYCENA., ACICULA Schaff
amongst dead leaves.



G.M.

AGARICUS (*MYCENA*) HÆMATOPUS. Pers.
 on Fir stumps. Scarboro'



B

M.C.C.

AGARICUS (*MYCENA*) CRUENTUS Fræs.
 in fir woods, on cones &c.




1.—AGARICUS (*MYCENA*) SANGUINOLENTUS. Fr.
amongst dead leaves.

2.—AGARICUS (*MYCENA*) CROCATUS Schrad.
amongst dead leaves.

milk yellow

milk white

after Sowerby



A

M.F.B.



AGARICUS (MYCENA) CHELIDONIUS Fr.
on beech trunks.



M.C.C.

AGARICUS (MYCENA) CHELIDONIUS Fr.
on a beech trunk. Sowerby, Sp. pl. 1801.

stem viscid



AGARICUS (MYCENA.) EIPTERYGIUS Scop.
amongst grass &c. Epping.

stem viscid



AGARICUS (MYCENA.) CLAVICULARIS Fries.
amongst grass. Chureford. Oct. 1882.



AGARICUS (*MYCENA*.) *PELLICULOSUS* Fries.
on the ground in heathy places.




H.G.B.

AGARICUS (*MYCENA*.) *VULGARIS* Fries.
Dunedor. Sept. 1875.

stem viscid



AGARICUS (*MYCENA*) CITRINELLUS Pers.
in pine woods.



AGARICUS (*MYCENA*) PLICATO-GRENATUS Fries.
amongst moss in larch woods.




M J. B.

stem glutinous


AGARICUS (*MYCENA*) ROTUNDUS Fries.
in larch woods.

A



AGARICUS (MYCENA) STYLOBATES Pers.
on chips &c.

B



M.F.B.

AGARICUS (MYCENA) TENERRIMUS Berk.
on pine cones, chips &c.

C



M.C.C

AGARICUS (MYCENA) BLOTTICUS Berk.
on sticks, no. 10521

X40



x 3

x 400.

W.P.

x 5

b.

AGARICUS (MYCENA.) SACCHARIFERUS B. & Br.
on bramble stems &c.



x 8

x 5

AGARICUS (MYCENA.) DISCOPUS Lev.
on twigs, &c.




x 8

x 5

M.C.C.

AGARICUS (MYCENA.) PTERIGENUS Fries.
on petioles, stems &c.




x 3



x 3

M.F.B.

AGARICUS (MYCENA.) CORTICOLA. Schum.
on bark of trees. Autumn.




Winters



H.G.B.

AGARICUS (MYCENA.) HIEMALIS. Osb.
on bark, twigs, &c. Director. Dec 1871.


1.



x5


AGARICUS (MYCENA.) SETOSUS Sow.
on beech leaves.

2.




AGARICUS (MYCENA.) CAPILLARIS Schum.
on dead leaves.

3.



x5

AGARICUS, MYCENA., JUNCICOLA Fries.
on Twigs &c.

Hygrophanous.

M.C.C.

AGARICUS (OMPHALIA) HYDROGRAMMUS, Fries.
amongst dead leaves, Pleasure grounds, Kew.



M.C.C.

AGARICUS (OMPHALIA) MAURUS. *Fries.*
on lawns and in moist places. Coed Coch.




W.P.

AGARICUS (OMPHALIA) OFFICINATUS. *Fries.*
Under beech, &c. Coed Coch.



H.G.B.

AGARICUS (OMPHALIA.) POSTII. *Fries.*
 on charcoal beds. *Downton. Sept. 1874.*



H.G.B. & M.J.B.

AGARICUS (OMPHALIA.) PYXIDATUS *Bull.*
Merryhull common. Nov. 1871.



AGARICUS (OMPHALIA) LEUCOPHYLLUS *Fries.*
in moist woods.



AGARICUS (OMPHALIA) STRIÆPILEUS *Fries.*
in grassy places.




G.M.

AGARICUS (OMPHALIA) TELMATIÆUS Berk & Cooke.
 (=Ag. affriculus, Berk) amongst Sphagnum. Scarborough

M.J.B.



AGARICUS (OMPHALIA) SPHAGNICOLA Berk.
amongst Sphagnum.



M.C.C


AGARICUS (OMPHALIA) PHILONOTIS Lasch.
In swampy places in fir woods.



AGARICUS (*OMPHALIA*.) ONISCUS. *Fries.*
Ascot.



AGARICUS (*OMPHALIA*.) CAESPITOSUS. *Bolton.*
on sloping banks. Kings Lynn. Oct. 1882.



A
AGARICUS (OMPHALIA) DEMISSUS Fries.
margin of banks. Wyctiffe woods. 1882.




B
AGARICUS (OMPHALIA) HEPATICUS Batsch.
by the side of paths in woods



M.C.C.

C
AGARICUS (OMPHALIA) MURALE Savi.
on bank, and walls.



M.C.C

PALLIDUS



W.P.

VIRIDIS



M.C.C.

FLAVUS

AGARICUS (UMPHALIA) UMBELLIFERUS. Fries.

A



AGARICUS (OMPHALIA) BUCCINALIS. Sow.
on twigs, stems, &c.

B



AGARICUS (OMPHALIA) RETOSTUS. Fries.
amongst dead leaves.

C



M.C.C.

very fatid

AGARICUS (OMPHALIA) ABHORRENS. R. & B.
under Yen trees. Brit. No. 132



M.C.C.

AGARICUS (OMPHALIA) PSEUDO-ANDROSACEUS Bull.
amongst moss &c. Watford. Nov. 1882.



M.C.C.

AGARICUS (OMPHALIA) GRISEO-PALLIDUS. Fr.
on the ground King's Lynn.



X4

H.G.B.

AGARICUS (OMPHALIA) STELLATUS, Sm.
near Hereford. Nov. 1872.



AGARICUS (OMPHALIA) CAMPANELLA Batsch.
in fir woods. Ascot.



H.G.B.

0.56 X 0.003 m m

AGARICUS (OMPHALIA) CAMPANELLA var BADIPUS Fr.
on the ground near Hereford



M.C.C.






M. J. B.

AGARICUS (OMPHALIA) CAMPTOPHYLLUS Berk.
on clips.



M C. C.

AGARICUS (OMPHALIA) GRISEUS Tulas.
amongst dead leaves etc. Borneo 1850.



AGARICUS (OMPHALIA) UMBRATILIS Frés
Cord Coch.



var SWARTZII

AGARICUS (OMPHALIA) FIBULA. Bull.
amongst grass, in meadows, &c.



1870

Pileus mealy.



W.G.S.

AGARICUS (OMPHALIA) DIRECTUS B & Br.
on dead leaves.



M.J.B.

AGARICUS (OMPHALIA) DIRECTUS B & Br.
on dead leaves.





AGARICUS (OMPHALIA) GRACILLIMUS *Weinm.*
on herbaceous stems



AGARICUS (OMPHALIA) BULLULA *Brig.*
on twigs. Coed Coch.



AGARICUS (OMPHALIA) INTEGRELLUS *Pers.*
on grass, twigs, rotten wood &c.

11





M.C.C.

AGARICUS (PLEUROTUS) CORTICATUS *Fries.*
on old Trunks. *Epping Forest.*



M.F.B.



M.C.C.

AGARICUS (PLEUROTUS.) DRYINUS. Pers.
on oak trunks.



M.C.C.

AGARICUS (PLEUROTUS) SPONGIOSUS *Fries.*
on stumps. *Loughton, Esser. Nov. 1879.*




H.G.B.

M.C.C.

edible

AGARICUS (PLEUROTUS.) ULMARIUS Fries.
on elm trunks.






M.C.C.

odour mealy.

AGARICUS (PLEUROTUS) TESSULATUS Bull.
on trunks. St. James' Park





H.G.B

AGARICUS (*PLEURROTUS*) SUBPALMATUS *Fr.*
on Oak trunk. *Morchampton 1875.*



AGARICUS (PLEUROTUS) CRASPEDUS Fr. ex.
on rotten wood. Easton in 1852





1.-*AGARICUS (PLEUROTUS.) FIMBRIATUS* Bolton,
on trunks. East Bergholt. Jan. 1952

2.-*AGARICUS (PLEUROTUS.) RUTHÆ*. B. & Br
on sawdust. Coed Coch 1870.

A

M.C.C.

AGARICUS (PLEUROTUS) LIGNATILIS Fries.
on hollow stumps, Kew Gardens.

B

M.C.C.

AGARICUS (PLEUROTUS) CIRCINATUS Fries.
on rotting Birch stump.



AGARICUS (PLEUROTUS.) PANTOLEUCUS. Fries.
blown out of a tree. Coed Coch 1881.




W.P.

AGARICUS (PLEUROTUS) PANTOLEUCUS Fries.
on willow.



M.C.C

AGARICUS (PLEUROTUS) MUTILUS Fries.
on grassy ground. Pinxten.






M.C.C.

X 400

odour strong.

AGARICUS (PLEUROTUS.) OSTREATUS. Fries.
on logs. Kew Gardens, July 1882.



X 300

X 400

M.C.C.

odour strong.


AGARICUS (PLEUROTUS.) OSTREATUS. Frös.
 var. EUOSMUS. Berk.
 on logs. Queen's Cottage, Koo.



AGARICUS (*PLEUROTUS*) REVOLUTUS *Kickx.*
on trunks. Paganini.



H.G.B.



M.F.B.

AGARICUS (PLEUROTUS.) SALIGNUS. Pers.
on willow trunks.



AGARICUS (PLEUROTUS) ACERINUS Fries
on Stump. Walthamstow.


A



M.C.C


AGARICUS (PLEUROTUS) PETALOIDES Bull.
on stumps and on the ground

B



H.G.B.

AGARICUS (PLEUROTUS) SEROTINUS Sacc.
on trunks. No. 1372



W.P.



H.G.B.



M.F.B.



x5

B



B

B



M.C.C.



AGARICUS (PLEUROTUS) MITIS
on trunks &c. B. 1841 to 1842

W.G.S



X2

AGARICUS (PLEUROTUS) GADINOIDES. Smith.
on tree fern stems.




AGARICUS (PLEUROTUS) LIMPIDUS Fries.
on old ash trunk. Dartford.

M.C.C.




AGARICUS (PLEUROTUS) RENIFORMIS Fries.
Robinia Garden. J. March 1881.






W.P.

AGARICUS (*PLEUROTUS*) LAURO-CERASI B. & Br
on stems of cherry laurel. Coed Coch.




H.G.B.

AGARICUS (*PLEUROTUS*) TREMULUS Schff.
Rotherwas wood. 1872.



H.G.B.

AGARICUS (*PLEUROTUS*) ACEROSUS Fr
on the ground. Astbury wood. 1874.



AGARICUS (PLEUROTUS) PORRIGENS Fries.
in Fir woods.




M. J. B.

AGARICUS (PLEUROTUS) SEPTICUS Fries.
on twigs, chips, and branches.



M.C.C.


AGARICUS (PLEUROTUS) MASTICATUS Fries.
on old Beech trunk. Epping Forest. 1880.



W.G.S.


ad. var. *pusillus*.

AGARICUS (PLEUROTUS) ATRO-CERULEUS Fries.
on old tracks, near Englewood.




M. J. B.

AGARICUS (PLEUROTUS) LEIGHTONI Berk
on wooden rails near Shrewsbury.




M. C. C.

AGARICUS (PLEUROTUS) LEIGHTONI Berk
on wooden rails near Shrewsbury.



AGARICUS (PLEUROTUS.) FLUXILIS Fries.
on sawdust. Glamis.




AGARICUS (PLEUROTUS.) CYPHELLÆFORMIS. B. & Br.
on herbaceous stems. Dinmore.

M.C.C.





M.F.B.

AGARICUS (PLEUROTUS.) APPLICATUS Burt.
on rotten trunks.



X3

A



AGARICUS (PLEUROTUS.) HOBSONI. Berk.—on Larch.



X3

B



AGARICUS (PLEUROTUS.) STRIATULUS Pers.—on trunks.

C



X3

AGARICUS (PLEUROTUS.) HYPNOPHILUS. Berk.—in moss, grass &c.



X5



D

AGARICUS (PLEUROTUS.) CHIONEUS Pers.—on leaf &c.

1848
1849
1850
1851



New York Botanical Garden Library
DK607 C6 v 2 gen
Cooke M C. Illustrations of British fu



3 5 185 001 18 1102

